



# Mobile Computer-Assisted Application for Stress Detection Based on Facial Expression Using Modified Convolutional Neural Network

Slamet Riyadi<sup>1</sup>, Naufal Rozan<sup>1</sup>, Cahya Damarjati<sup>1</sup>

<sup>1</sup> Department of Information Technology, Universitas Muhammadiyah Yogyakarta, Yogyakarta, Indonesia

E-mail address: riyadi@umy.ac.id, naufal.rozan.ft20@mail.umy.ac.id, cahya.damarjati@umy.ac.id

Received ## Mon. 20##, Revised ## Mon. 20##, Accepted ## Mon. 20##, Published ## Mon. 20##

**Abstract:** In this challenging digital era, stress has become an inseparable part of daily life, affecting all ages. Although researchers have discussed stress detection extensively, there are few practical and accessible applications for users. This research aims to develop a mobile application utilizing a modified Convolutional Neural Network (CNN) for stress detection based on facial expression, thereby enabling more effective and efficient stress detection and management. The well-known CNN architectures, i.e., DenseNet201, MobileNetv2, and ResNet50, could have been more optimal for detecting stress from facial expressions. Hence, the CNN architectures are modified to enhance the accuracy of the task by adding dropout layers, Pooling2D, and Relu Activation. The research was conducted through data collection, image pre-processing, training the model with the modified CNN architectures, and developing a mobile application for stress detection. With the modifications made, this research succeeded in increasing the model's accuracy in detecting stress from facial expressions, where the modified DenseNet201 achieved the highest accuracy, from 75.90% to 77.83%. The mobile application can detect stress based on facial expression image obtained from file or camera. In conclusion, using artificial intelligence technology, especially through modifying the CNN architecture, enhances the accuracy of stress detection from facial expressions, and the developed mobile application offers a practical solution.

**Keywords:** Convolutional Neural Network (CNN), Stress Detection, Facial Expression, Mobile Application, Architecture Modification

## 1. INTRODUCTION

In the current digital era, where life moves swiftly and is full of challenges, stress has become an inseparable part of the existence of many people, entering their routine as a situation in which individuals feel pressured or tense [1]. Lazarus and Folkman (1984) define stress as the relationship between the individual and their environment that someone evaluates as taxing or exceeding their resources and endangering their well-being [2]. This confirms that stress has become a common phenomenon, not limited to any specific context like school, work, or family, but is a universal experience affecting all ages, from teenagers to adults [1], [2]. According to [3], the incidence of stress has reached more than 350 million individuals worldwide, making it one of the top health issues globally and highlighting the importance of addressing this issue seriously.

One significant aspect that is often overlooked is the unawareness of many individuals about the stress they are experiencing. Acknowledging the presence of stress is a crucial first step in addressing it, as ignoring it can have serious health consequences, affecting mood, the condition of skeletal muscles, and internal organ functions such as heart failure due to increased heart rate [4], [5], [6]. The deficiency in recognizing the signs of stress adds difficulty in managing it, emphasizing the importance of awareness as a preliminary step in identifying and managing stress before it develops into a larger issue.

Interestingly, stress identification can be observed through the face, where expressions and conditions of the face can reveal the emotional stress someone is experiencing. Features of stress on the face can include signs of tension such as dilated pupils, twitching eyelids, pale skin color, and appearances of being tired or tense [5], [7]. This indicates that the face reflects our emotions

and can be a valuable tool in recognizing stress in oneself or others.

Therefore, awareness of stress through facial observation offers an alternative path for detecting and managing stress earlier. This research aims to develop a mobile-based application to detect stress from facial expression images using a modified Convolutional Neural Network (CNN) algorithm. It is hoped that with this technology, individuals can more easily recognize when stress is affecting them, allowing them to take steps to manage it before it adversely impacts their health.

## 2. RELATED WORK

The increasing reliance on technology has paved the way for various initiatives to integrate practical technology solutions. This research inspires stress detection using smartphones and wearable sensors and aims to explore similar potential in stress detection with different methods [8]. Applications like these offer a quick, economical, and accessible method for early stress detection due to the increasingly sophisticated capabilities of computers. Although many studies have examined stress detection, implementing these findings into mobile applications still needs to be improved. In the last five years, various Deep-learning algorithms have been utilized for stress detection, as shown in Table 1.

In previous studies specifically addressing stress detection, as noted in Table 1, CNN emerged as the most frequently used deep learning algorithm. These studies have tried to identify stress from various aspects and have provided satisfactory results. The widespread use of the CNN model indicates its effectiveness in image analysis, including stress detection through facial analysis. However, most of these studies focus on developing Deep Learning models to achieve optimal performance without considering their practical implementation in mobile applications. This indicates that mobile application development for stress detection requires further research.

However, it is important to note that using the original CNN without modification in stress detection through facial expression faces challenges, including the inability to effectively address the diverse scale, pose, and illumination changes in facial images. Base CNN often requires a large amount of training data to achieve accurate results, making it less ideal for applications with limited or specific datasets. Furthermore, unmodified CNN architecture might not be fully optimal for extracting the subtle emotional features required for accurate stress detection, as they are designed for more general computer vision tasks rather than detecting complex emotional nuances.

Considering the challenges faced using base CNN, this research is directed towards developing a mobile

application as a tool for stress detection through facial expression analysis. Expressions and conditions of the face can be strong indicators of the emotional stress someone is experiencing, underscoring the importance of adjustments and optimization of CNN architecture. This aims to enhance accuracy and efficiency in detecting stress and ensure that the application is practical and easily accessible by users.

This research proposes an innovative approach to addressing the challenges of variability in facial expressions, positions, and lighting conditions by integrating advanced image processing and machine learning techniques. With a focus on developing an effective deep learning model and its applicability, the application is designed to be a practical solution that allows easy and efficient stress detection through mobile devices.

Thus, this research aims to address the gap in the literature by presenting a solution through the development of a mobile application. It is expected to significantly contribute to the field of stress detection, offering new insights into the application of machine learning technology to support individuals' mental health and well-being. The existing research gap and the contributions proposed by this research are summarized in Figure 1.




Figure 1 Research Gaps and Proposed Contributions

## 3. METHODS

This research takes step-by-step measures to achieve its goal of developing a stress detection application on the face, divided into four main phases—initially, the first phase involved collecting and pre-processing facial image data. Then, the process continued with the implementation of the CNN architecture to build the Deep Learning model. Lastly, it includes the creation of a mobile application that functions to detect stress on the face. Figure 2 below presents a complete description of each phase in this research.

### A. Data Collection

Detecting stress on the face involves collecting and categorizing facial samples into two groups: those showing stress and those not stressed. Indicators such as dilated pupils, twitching eyelids, skin color changes,



Table 1 Trends in Research applying deep learning algorithms for stress detection.

Ref	Dataset	Data Type	Method/Architecture	Result
[9]	Facial Expression Image	Image	Custom MobileNet V2	Acc = 95%
[10]	Psychophysiological Stress Dataset	Psychophysiological Data	1D CNN	Acc = 99.7%
[11]	Facial Expression Image	Image	VGG16	Acc: 92.1 %
[12]	Video based	Video	TSDNet	Acc: 85,42% F1: 85,28%
[13]	PhysioBank	Physiological Signals	Gradient Boost Feature Selection	Acc: 83.33%
[14]	Electroencephalography Signals	Electroencephalography Signals	Majority Voting-based Model (SVM, KNN, Naïve Bayes)	Acc: 93.85 %
[15]	Wearable Stress and Affect Detection (WESAD)	Sensor Data	Custom Method	F1-score: 83.34%
[16]	Unknown	Unknown	Deep Learning	Acc: 85.71- 97.50%, Loss: 0.4061-1.8144
[17]	Facial Expression Image	Image	Unknown	Unknown
[18]	Audio-Visual Dataset	Video	Custom CNN	Acc: 94.33%
[19]	Data Social Platform	Social Media Data	Custom CNN	Acc: 91.55%.
[20]	Unknown	Unknown	Fuzzy Logic based IoT	akurasi 92.5%
[21]	Biosignals	Biosignals Data	Stroop Colour-Word Test	Unknown
[22]	Unknown	Heart Rate, Breath Rate, Blood Oxygen, and Stress Level	Systematic Bibliographic Review (SBR)	Unknown
[23]	Jaypee Institute of Information Technology	Student's Data	Support Vector Machine	Acc: 85.71%
[24]	Stress Recognition in Automobile Drivers by Healey and SWELL-KW dataset	Physiological Signals	AdaBoost and Decision Tree	Acc AdaBoost: 66.8%, Acc Decision Tree : 74.8%
[25]	Physiological Signals Dataset	EDA and PPG Signals	Random Forest	Acc: 92%
[26]	Physiological Signals Dataset	EDA, Activity, ST	DNN	Acc: 98.3%
[27]	Food Pedia Dataset	Image Inputs	CNN	Acc: 97%
[28]	Geneva affective picture database	Heart Rate	SVM	Acc Training: 82%, Acc Test: 62%
[29]	Wearable Stress and Affect Detection (WESAD) and VerBIO	EDA Signals	K-nearest neighbors (KNN), Logistic Regression, and Random Forest	Highest Acc: 85.7%
[30]	Physiological Signals of Participants	Physiological Signals	Random Forest	Acc: 97.92%
[31]	Wearable Stress and Affect Detection (WESAD)	EDA Signals	Linear Discriminant Analysis	Acc: 87.4%
[32]	ElectroEncephaloGraphy Dataset	Age, Sex, Cp, Trestbps, Fbs, Restecg, Thalach, Old Peak, Slope, Ca, Thal And Target.	Random Forest Classifier, Decision Tree, Naive Bayes, Support Vector Machine and K-Nearest Neighbor	Acc: 93.2%
[33]	Physiological Signals Dataset	Respiration, GSR	K-Nearest Neighbor	Acc: 98,41%

Ref	Dataset	Data Type	Method/Architecture	Result
		Hand, GSR Foot, Heart Rate, and EMG		
[34]	Depression, Anxiety and Stress Scale questionnaire (DASS 21)	Questionnaire	Decision Tree (DT), Random Forest Tree (RFT), Naïve Bayes, Support Vector Machine (SVM) and K- Nearest Neighbour (KNN)	The accuracy of naïve Bayes was found to be the highest

and expressions of fatigue or tension [5], [7] are key to classifying into the stress group.




Figure 2 Research Framework for the Development of the Mobile Application for Stress Detection

This research used 12,275 facial images from the Stress Face Dataset [35]. These images were then processed through a pre-processing stage to improve data quality. This step is crucial to ensure that the data is ready for use in developing an accurate deep-learning model.

**B. Data Pre-processing**

After obtaining all the necessary data, the dataset was divided into three parts: training, testing, and validation, with a proportion of 60:20:20. This resulted in a total distribution of 7,347 images for training, 2,480 for testing, and 2,448 for validation.

After dividing the dataset, the research continued improving the quality and quantity of facial images showing stress through the pre-processing stages. A rescaling resolution technique was used to improve quality, making all images the same size, namely 224x224 pixels. The next step, image augmentation, was applied to enrich the dataset with rotation and horizontal flip techniques. The main purpose of this pre-processing is to prepare an optimal dataset for experiments in detecting stress using variations of CNN architecture. Details of the pre-processing process and dataset readiness for further experiments are outlined in Figure 3.

**C. Development of the Deep Learning Model**

Developing the deep learning model is the next stage of this research to classify stress through facial expressions. In building this model, the research relies on

the sophistication of the Convolutional Neural Network (CNN), which is recognized for its effectiveness in image pattern recognition [36]. The model is enriched by applying the latest CNN architectures, such as DenseNet201, MobileNetV2, and ResNet50, known for extracting complex and accurate features [37]. Layers such as dropout, Pooling2D, and Relu Activation are integrated to improve reliability and avoid overfitting, as illustrated in Figure 4. Layers such as dropout, Pooling2D, and ReLU activation are integral components of artificial neural network architectures aimed at enhancing reliability and mitigating overfitting. Dropout, for instance, randomly omits a fraction of units within the network during training, diminishing reliance on specific connections and fostering model generalization [38]. Pooling2D diminishes the spatial dimensions of image representations, thereby reducing the number of parameters and computational load within the network, consequently mitigating the risk of overfitting.




Figure 3 Pre-processing Process

Moreover, pooling layers excel in tasks related to image recognition [39]. Meanwhile, ReLU activation introduces non-linearity into the network, enabling the acquisition of more complex representations of input data. Additionally, ReLU activation is renowned for its ability to recognize objects and accurately compare faces [40]. Effectively, click here to enter text. By incorporating these elements into neural network architectures, applications such as stress detection can achieve efficient and accurate performance.

Adding extra layers in the CNN architecture is expected to enhance the ability to extract characteristic

features of images related to stress and improve the accuracy level in recognizing stress on the face. By leveraging weights trained on ImageNet, transfer learning techniques also aim to accelerate and maximize the efficiency of the Deep Learning model training process. Subsequently, the developed model is stored in the TensorFlow format, allowing its integration into a mobile application and facilitating the practical implementation of this research's findings.




Figure 4 Stages of CNN Modification

**D. Application Development**

The final phase of this research involves creating a mobile application designed to use the previously developed Deep Learning model to detect stress. This application facilitates user access, allowing them to check for stress on themselves through the face, which can be done anywhere and anytime, thereby increasing self-awareness regarding stress conditions. The availability of this application is expected to provide a practical solution to address the lack of individual awareness of the stress they experience. The structure of this application development is further explained in Figure 5.

Figure 5 illustrates how this research utilizes the Deep Learning model stored in TensorFlow to integrate the model into the mobile stress detector application. TensorFlow is a leading numerical computing framework for deep learning [41]. This research will develop a mobile-based application that allows users to access the

previously developed Deep Learning model through a mobile application.




Figure 5 Application Development

**4. RESULTS AND DISCUSSION**

This section describes the research results on developing stress detection software that uses a trained modified CNN architecture. The discussion begins with the results from the collection and pre-processing of data. The discussion continues by showing the results of developing the Deep Learning model and how well it functions to detect stress. This research will conclude by presenting the results of the designed application as an alternative method of detecting stress, complete with its features.

This research compares the modified and original CNN architecture against the specially prepared dataset. The main goal is to test whether modifications to the architecture with the addition of layers can improve the ability of the Deep Learning model to detect indications of stress from facial expressions. The research results show that modifications to the CNN structure with extra layer additions successfully improved the efficiency and accuracy of the Deep Learning model in recognizing facial expressions indicating stress.

In this experiment, the modified DenseNet201 architecture was used. As a result, with the modified version, the performance of the Deep Learning model improved, achieving an accuracy rate of 77.83%. This marks an improvement compared to the performance of the base DenseNet201 architecture, which only reached a maximum accuracy of 75.90%. Therefore, modifications to the architecture successfully increased accuracy by 1.93%. For a clearer illustration, a graph comparing the accuracy between the modified version of DenseNet201 and the base DenseNet201 is presented in Figure 6.

Modifications made to one architecture positively impacted other architectures, resulting in an accuracy

increase of more than 3% in both architectures. As evidence of this improvement, graphs showing the increase in accuracy for MobileNetV2 and ResNet50 are presented in Figures 7 and 8.




Figure 6 Comparison of DenseNet201 Accuracy




Figure 7 Comparison of MobileNetV2 Accuracy




Figure 8 Comparison of ResNet50 Accuracy

These results confirm that changes to the three architectures have effectively increased the accuracy of Deep Learning. All three architectures showed greater improvements compared to the architectures without modification. This marks a great success in proposing an alternative method for stress detection through facial analysis.

After achieving the optimal model, the stress detector application was developed using TensorFlow. This model was converted into TensorFlow Lite for integration into a mobile application, allowing the model to run quickly and efficiently on mobile devices with low latency. This

facilitates the offline use of the application without the need for an external server connection. Figure 9 explains the main features of the developed mobile application, designed to classify facial expressions into two categories: stressed and not stressed.




Figure 9 Application Features

This application's main and most important feature is the stress detector through the face. This aligns with the application's main goal, making this feature crucial for users in identifying their stress levels. Users can easily upload a photo of their face or use the camera to directly take a picture of their face, which the application will then analyze to determine if there are indications of stress. The accuracy level of this analysis will be displayed on the screen, allowing users to evaluate the reliability of the detection result. Furthermore, the application also provides practical advice to help manage or reduce stress. The user interface for the "Stress Detector" and "Advice" features are displayed in Figures 10 and 11.




Figure 10 Stress Detector Interface




Figure 11 Advice Interface

The "Advice" feature is designed to assist users in managing or preventing stress. There are two types of advice: one for individuals detected as experiencing stress and another for those not. The application will display tips for reducing stress for users whose analysis results indicate stress. Meanwhile, for users detected as free from stress, the application will provide recommendations to maintain that state to avoid stress in the future. The list of advice provided can be seen in Tables 2 and 3 below.

Table 1 List of Advice for Stress Category

Advice	Reference
Breathe Properly	[42]
Short Meditation	[43]
Engaging in Physical Activity	[44]
Socializing with Others	[45]

Table 2 List of Advice for Non-Stress Category

Advice	Reference
Maintain Rest Time	[46]
Engage in Hobbies	[46]
Relaxation	[42]
Learn Stress Management	[47]

The "Settings" feature is designed to support exploration and research in stress detection by providing access to various previously trained architectures. This feature gives users control over selecting an architecture based on specific research needs and facilitates a deeper understanding of how different architectures can affect detection results. In the context of research and development, users can take advantage of this option to directly compare the effectiveness of various

architectures, highlighting the architecture that shows the best performance under certain conditions as a reference. The display of the settings interface is presented in Figure 12.




Figure 12 Architecture Settings Interface

The final feature of this application summarizes all available features, including the source of the advice provided, the stress facial image dataset used for training, the contact person that can be reached, and other relevant information. To view the display of the "About" feature, you can see Figure 13 provided below.




Figure 13 About Interface



## 5. CONCLUSION

This research has successfully proven the potential of using artificial intelligence technology, specifically CNN, in detecting stress through facial expression analysis. By modifying existing CNN architectures, namely DenseNet201, MobileNetV2, and ResNet50, this research found improvements in detection accuracy, with the modified DenseNet201 achieving the highest accuracy of 77.83%. These results indicate that artificial intelligence technology, especially by modifying CNN architecture, can enhance stress detection from facial expressions.

This research also resulted in a mobile application that applies artificial intelligence for personal stress detection, noting significant progress in technology for mental health. With features such as stress detection based on facial expression analysis, practical stress management advice, customization settings for deep learning architecture, and detailed information about the application, it offers a practical solution for users.

## ACKNOWLEDGMENT

I want to express my gratitude to the University of Muhammadiyah Yogyakarta for the financial support that has enabled the execution of this research. The financial assistance from the University of Muhammadiyah Yogyakarta provided essential resources for the research and encouraged me to pursue and achieve higher results. I also thank all co-authors who have contributed valuable suggestions, critiques, and improvements during the research process.

## REFERENCES

- [1] A. Yulinda, D. Suriyani, and S. Suciati, "ANALYSIS OF THE RELATIONSHIP BETWEEN STRESS LEVEL AND NUTRITIONAL STATUS OF PRIMARY SCHOOL STUDENTS IN PALU CITY," 2019 (in Bahasa Indonesia).
- [2] N. T. Lumban Gaol, "Stress Theory: Stimulus, Response, and Transactional," *Psychological Bulletin*, vol. 24, no. 1, p. 1, Jun. 2016, doi: 10.22146/bpsi.11224 (in Bahasa Indonesia).
- [3] M. Eko Riyadi, A. Wiguna, R. Viantika Kusumasari, F. Dian Kurniati, and Stik. Surya Global, "Spirituality is Associated with Stress in Nursing Students Working on Their Thesis," *Journal of Nursing Care Management*, vol. 7, no. 2, pp. 52–57, 2023 (in Bahasa Indonesia).
- [4] Jovina J, Yustinus Phoebe, Stella Aurelia, and Pandina, "SELF-AWARENESS OF THE STRESS YOU FEEL," <https://unit.usd.ac.id/pusat/p2tkp/kesadaran-diri-terhadap-stress-yang-dirasakan/> (in Bahasa Indonesia).
- [5] M. Padiaditis, G. Giannakakis, and F. Chiarugi, "Extraction of Facial Features as Indicators of Stress and Anxiety," 2015.
- [6] A. G. Yuli, Ms. Hardani Widhiastuti, and P. Rusmalia Dewi, *WORK STRESS*. 2018 (in Bahasa Indonesia).
- [7] D. Manousos *et al.*, "Contactless Detection of Facial Signs Related to Stress: A Preliminary Study," Institute for Computer Sciences, Social Informatics and Telecommunications Engineering (ICST), Dec. 2014. doi: 10.4108/icst.mobihealth.2014.257249.
- [8] Y. S. Can, B. Amrich, and C. Ersoy, "Stress detection in daily life scenarios using smart phones and wearable sensors: A survey," *Journal of Biomedical Informatics*, vol. 92. Academic Press Inc., Apr. 01, 2019. doi: 10.1016/j.jbi.2019.103139.
- [9] W.-T. Chew, S.-C. Chong, T.-S. Ong, and L.-Y. Chong, "Facial Expression Recognition Via Enhanced Stress Convolution Neural Network for Stress Detection," 2022.
- [10] A. Y. Saleh and L. K. Xian, "Stress Classification using Deep Learning with 1D Convolutional Neural Networks," *Knowledge Engineering and Data Science*, vol. 4, no. 2, p. 145, Dec. 2021, doi: 10.17977/um018v4i22021p145-152.
- [11] J. Almeida and F. Rodrigues, "Facial Expression Recognition System for Stress Detection with Deep Learning," in *International Conference on Enterprise Information Systems, ICEIS - Proceedings*, Science and Technology Publications, Lda, 2021, pp. 256–263. doi: 10.5220/0010474202560263.
- [12] H. Zhang, L. Feng, N. Li, Z. Jin, and L. Cao, "Video-based stress detection through deep learning," *Sensors (Switzerland)*, vol. 20, no. 19, pp. 1–17, Oct. 2020, doi: 10.3390/s20195552.
- [13] A. Kene and S. Thakare, "Mental Stress Level Prediction and Classification based on Machine Learning," in *2021 Smart Technologies, Communication and Robotics (STCR)*, 2021, pp. 1–7. doi: 10.1109/STCR51658.2021.9588803.
- [14] D. Konar, S. De, P. Mukherjee, and A. H. Roy, "A Novel Human Stress Level Detection Technique Using EEG," in *2023 International Conference on Network, Multimedia and Information Technology (NMITCON)*, 2023, pp. 1–6. doi: 10.1109/NMITCON58196.2023.10276159.
- [15] P. Garg, J. Santhosh, A. Dengel, and S. Ishimaru, "Stress Detection by Machine Learning and





- Wearable Sensors,” in *26th International Conference on Intelligent User Interfaces - Companion*, in IUI '21 Companion. New York, NY, USA: Association for Computing Machinery, 2021, pp. 43–45. doi: 10.1145/3397482.3450732.
- [16] H. Angalakuditi and B. Bhowmik, “Stress Detection Using Deep Learning Algorithms,” in *2023 14th International Conference on Computing Communication and Networking Technologies (ICCCNT)*, 2023, pp. 1–7. doi: 10.1109/ICCCNT56998.2023.10308089.
- [17] R. Hanchate, H. Narute, and S. Shavage, “Stress Detection Using Machine Learning,” *International Journal of Science and Healthcare Research*, vol. 8, no. 2, pp. 307–311, May 2023, doi: 10.52403/ijshr.20230239.
- [18] S. Vaikole, S. Mulajkar, A. More, P. Jayaswal, and S. Dhas Associate Professor, “Stress Detection through Speech Analysis using Machine Learning,” 2020. [Online]. Available: [www.ijert.org](http://www.ijert.org)
- [19] K. Jadhav and P. Vanwari, “Detecting Stress Based on Social Interactions in Social Networks,” 2019. [Online]. Available: [www.jetir.org98](http://www.jetir.org98)
- [20] H. Tari Mokui, dan Wa Ode Siti Nur Alam, and C. Author, “Sistem Pendeteksi Stres pada Manusia Menggunakan Metode Fuzzy Logic Berbasis Internet of Things,” 2022. [Online]. Available: <https://elektroda.uho.ac.id/>
- [21] G. Giannakakis, D. Grigoriadis, K. Giannakaki, O. Simantiraki, A. Roniotis, and M. Tsiknakis, “IEEE TRANSACTIONS ON AFFECTIVE COMPUTING, MANUSCRIPT ID 1 Review on psychological stress detection using biosignals,” 2019.
- [22] A. S. Stramari, M. F. Catapan, and C. S. Strobel, “METHOD FOR STRESS DETECTION IN INDUSTRIAL ASSEMBLERS USING SMARTWATCH SENSORS,” *Revista de Gestao Social e Ambiental*, vol. 17, no. 8, 2023, doi: 10.24857/rgsa.v17n8-015.
- [23] R. Ahuja and A. Banga, “Mental stress detection in university students using machine learning algorithms,” in *Procedia Computer Science*, Elsevier B.V., 2019, pp. 349–353. doi: 10.1016/j.procs.2019.05.007.
- [24] T. Iqbal, A. Elahi, W. Wijns, and A. Shahzad, “Exploring Unsupervised Machine Learning Classification Methods for Physiological Stress Detection,” *Front Med Technol*, vol. 4, 2022, doi: 10.3389/fmedt.2022.782756.
- [25] R. Kumar Nath, H. Thapliyal, and A. Caban-Holt, “Validating Physiological Stress Detection Model Using Cortisol as Stress Bio Marker,” 2020.
- [26] L. Rachakonda, S. P. Mohanty, E. Kougianos, and P. Sundaravadivel, “Stress-Lysis: A DNN-Integrated Edge Device for Stress Level Detection in the IoMT,” *IEEE Transactions on Consumer Electronics*, vol. 65, no. 4, pp. 474–483, 2019, doi: 10.1109/TCE.2019.2940472.
- [27] L. Rachakonda, A. Kothari, S. P. Mohanty, E. Kougianos, and M. Ganapathiraju, “Stress-Log: An IoT-based Smart System to Monitor Stress-Eating,” 2019.
- [28] N. E. J. Asha, Ehtesum-UI-Islam, and R. Khan, “Low-Cost Heart Rate Sensor and Mental Stress Detection Using Machine Learning,” in *Proceedings of the 5th International Conference on Trends in Electronics and Informatics, ICOEI 2021*, Institute of Electrical and Electronics Engineers Inc., Jun. 2021, pp. 1369–1374. doi: 10.1109/ICOEI51242.2021.9452873.
- [29] L. Zhu *et al.*, “Feasibility Study of Stress Detection with Machine Learning through EDA from Wearable Devices,” in *IEEE International Conference on Communications*, Institute of Electrical and Electronics Engineers Inc., 2022, pp. 4800–4805. doi: 10.1109/ICC45855.2022.9838970.
- [30] Y. S. Can, N. Chalabianloo, D. Ekiz, and C. Ersoy, “Continuous stress detection using wearable sensors in real life: Algorithmic programming contest case study,” *Sensors (Switzerland)*, vol. 19, no. 8, Apr. 2019, doi: 10.3390/s19081849.
- [31] S. Haque, Z. Eberhart, A. Bansal, and C. McMillan, “Semantic Similarity Metrics for Evaluating Source Code Summarization,” in *IEEE International Conference on Program Comprehension*, IEEE Computer Society, 2022, pp. 36–47. doi: 10.1145/nnnnnnnn.nnnnnnnn.
- [32] V. Sudha, S. Kaviya, S. Sarika, and R. Raja, “Stress Detection Based on Human Parameters Using Machine Learning Algorithms,” 2022. [Online]. Available: <https://ssrn.com/abstract=4031942>
- [33] T. L. Prasanthi and K. Prasanthi, “Machine Learning-based Signal Processing by Physiological Signals Detection of Stress,” 2021.
- [34] A. Priya, S. Garg, and N. P. Tigga, “Predicting Anxiety, Depression and Stress in Modern Life using Machine Learning Algorithms,” in *Procedia Computer Science*, Elsevier B.V., 2020, pp. 1258–1267. doi: 10.1016/j.procs.2020.03.442.
- [35] J. Ukwattage, “Stress faces dataset.” Accessed: Mar. 29, 2024. [Online]. Available: <http://journals.uob.edu.bh>

- <https://www.kaggle.com/datasets/janithukwattage/stress-faces-dataset>
- [36] W. Suartika, A. Y. Wijaya, and R. Soelaiman, "Image Classification Using Convolutional Neural Network (Cnn) in Caltech 101," 2016 (in Bahasa Indonesia).
- [37] S. Abdulhamit, K. Tugce, O. Fatih, D. Sengul, and T. Turker, "Feature extraction and fusion using deep convolutional neural networks for Covid-19 detection using CT and X-RAY images," *World Journal of Advanced Research and Reviews*, vol. 19, no. 1, pp. 914–933, Jul. 2023, doi: 10.30574/wjarr.2023.19.1.1391.
- [38] N. Srivastava, G. Hinton, A. Krizhevsky, and R. Salakhutdinov, "Dropout: A Simple Way to Prevent Neural Networks from Overfitting," 2014.
- [39] D. Scherer, A. Müller, and S. Behnke, "Evaluation of Pooling Operations in Convolutional Architectures for Object Recognition," 2010. [Online]. Available: <http://www.ais.uni-bonn.de>
- [40] V. Nair and G. E. Hinton, "Rectified Linear Units Improve Restricted Boltzmann Machines," 2010.
- [41] E. Bisong, "TensorFlow 2.0 and Keras," *Building Machine Learning and Deep Learning Models on Google Cloud Platform*, 2019, [Online]. Available: <https://api.semanticscholar.org/CorpusID:204628587>
- [42] X. Ma *et al.*, "The effect of diaphragmatic breathing on attention, negative affect and stress in healthy adults," *Front Psychol*, vol. 8, no. JUN, Jun. 2017, doi: 10.3389/fpsyg.2017.00874.
- [43] X. Zuo, Y. Tang, Y. Chen, and Z. Zhou, "The efficacy of mindfulness-based interventions on mental health among university students: a systematic review and meta-analysis," *Frontiers in Public Health*, vol. 11. Frontiers Media SA, 2023. doi: 10.3389/fpubh.2023.1259250.
- [44] X. Wang, Z. dong Cai, W. ting Jiang, Y. yan Fang, W. xin Sun, and X. Wang, "Systematic review and meta-analysis of the effects of exercise on depression in adolescents," *Child and Adolescent Psychiatry and Mental Health*, vol. 16, no. 1. BioMed Central Ltd, Dec. 01, 2022. doi: 10.1186/s13034-022-00453-2.
- [45] J. Holt-Lunstad, "Social Connection as a Public Health Issue: The Evidence and a Systemic Framework for Prioritizing the 'Social' in Social Determinants of Health," *Annu. Rev. Public Health*, vol. 43, pp. 193–213, 2022, doi: 10.1146/annurev-publhealth.
- [46] A. J. Scott, T. L. Webb, M. Martyn-St James, G. Rowse, and S. Weich, "Improving sleep quality leads to better mental health: A meta-analysis of randomised controlled trials," *Sleep Medicine Reviews*, vol. 60. W.B. Saunders Ltd, Dec. 01, 2021. doi: 10.1016/j.smrv.2021.101556.
- [47] Z. Li, J. Dai, N. Wu, Y. Jia, J. Gao, and H. Fu, "Effect of long working hours on depression and mental well-being among employees in Shanghai: The role of having leisure hobbies," *Int J Environ Res Public Health*, vol. 16, no. 24, Dec. 2019, doi: 10.3390/ijerph16244980.
- [48] E. B. Algorani and V. Gupta, "Coping Mechanisms," in *StatPearls*, StatPearls Publishing, 2023.



**Slamet Riyadi** is a Lecturer at the Universitas Muhammadiyah Yogyakarta, Indonesia. He obtained his Ph.D from Universiti Kebangsaan Malaya. His research interests include intelligent systems, computer vision, and big data analytics.



**Naufal Rozan** is a student at the Universitas Muhammadiyah Yogyakarta, Indonesia. His research interests include mobile development and artificial intelligence.



**Cahya Damarjati** is a Lecturer at Universitas Muhammadiyah Yogyakarta, Indonesia. He obtained his Ph.D from Asia University Taiwan. His research interests include intelligent systems and security.